



# CARRO





## **CARDIO**

### **SR-GTXT COMMERCIAL TREADMILL**

- 32" Capacitive touch screen with 1920 X 1080 HD resolution display
- Supports Wi-Fi connection and web browsing
- AC driving system with adjustable variable frequency.
- 5.0 HP AC continuous (6.8HP Peak) motor.
- 170" x 62" CM running surface.
- Speed 1~25kmph.
- Precise incline control from -3~18%.
- Direct speed & incline keys on the console
- Product size 2210mm\*980mm\*1760mm
- Heavy duty reliable orthopaedic running belt.
- Built in speakers
- Gross Weight: 220Kgs/304Kgs.
- Maximum User Weight: 200Kgs.
- Direct key speed: 3/6/12; Speed shortcut button continuously adjustable range 2KM/H, safe and reliable



## **CARDIO**

### **SR-GTX COMMERCIAL TREADMILL**

- 7 Windows white LED digital display screen
- Auto sleep/Bluetooth music playback.Hand holding heart rate/USB interface
- Unmanned automatic shutdown/wireless heart rate.
- 5.3 HPAC continuous (6.8HP Peak) motor.
- 22.8"x 63.7" running surface.
- Speed 1~25kmph.
- Precise incline control from -3~18%.
- Direct speed & incline keyson the console
- Product size 2200mm\*1000mm\*1820mm
- Heavy duty reliable orthopaedic running belt.
- Built in speakers
- Gross Weight: 220 Kgs/265Kgs.
- Maximum UserWeight: 182 Kgs.
- Direct key speed:3/6/12;Speed shortcut button continuously adjustable range 2KM/H,safe and reliable



## **CARDIO**

### **SRLT32 COMMERCIAL TREADMILL**

- 32" Capacitive touch screen with 1920 X 1080 HD resolution display
- Supports Wi-Fi connection and web browsing
- AC driving system with adjustable variable frequency.
- 5.0 HP AC continuous (6.8 HP Peak) motor.
- 22.8" x 63.7" running surface.
- Speed 1~25 kmph.
- Precise incline control from -3~18%.
- Direct speed & incline keys on the console
- Product size 2200mm x 1000mm x 1820mm
- Heavy duty reliable orthopaedic running belt.
- Built in speakers
- Gross Weight: 235 Kgs/321 Kgs.
- Maximum User Weight: 182 Kgs.
- Direct key speed: 3/6/12; Speed shortcut button continuously adjustable range 2 KM/H, safe and reliable



## CARDIO

### SRPK12 COMMERCIAL TREADMILL

- 7 Windows white LED digital display screen
- Auto sleep/Bluetooth music playback.Hand holding heart rate/USB interface
- Unmanned automatic shutdown/wireless heart rate.
- 5.3 HPAC continuous (6.8HP Peak) motor.
- 22.8"x 63.7" running surface.
- Speed 1~25kmph.
- Preciseincline control from -3~18%.
- Direct speed & incline keyson the console
- Product size 2200mm\*1000mm\*1820mm
- Heavy duty reliable orthopaedic running belt.
- Built in speakers
- Gross Weight: 220 Kgs/265Kgs.
- Maximum UserWeight: 182 Kgs.
- Direct key speed:3/6/12;Speed shortcut button continuously adjustable range 2KM/H,safe and reliable



## CARDIO

### SRX91T HEAVY DUTY COMMERCIAL TREADMILL WITH TOUCH SCREEN

- 32" Capacitive touch screen with 1920 X 1080 HD resolution display
- Supports Wi-Fi connection and web browsing
- AC driving system with adjustable variable frequency.
- 5.0 HP AC continuous (10HP Peak) motor.
- 22.5" x 64" running surface.
- Speed 1~25kmph.
- Precise incline control from 0~20%.
- Direct speed & incline keys on the console
- Various motivating programs for different workout requirements.
- Double phenolic heavy cushioned deck for excellent shock absorption that provides suitable push off to reduce the possibility of any type of injury to knees and joints.
- Heavy duty reliable orthopaedic running belt.
- Built in speakers
- Sweat proof console design.
- Two Cup/ Mobile Holders.
- Maximum User Weight: 200 Kgs.



## CARDIO

### SRX91S HEAVY DUTY COMMERCIAL TREADMILL

- 5.0 HPAC continuous (10HP Peak) motor.
- AC driving system with adjustable variable frequency.
- Speed 1~25kmph.
- Precise incline control from 0-20%.
- 570 X 1625mm running surface.
- Showing time, speed, distance, incline, calories & heart rate
- Double phenolic heavy cushioned deck for excellent shock absorption that provides suitable push off to reduce the possibility of any type of injury to knees and joints.
- Heavy duty reliable orthopaedic running belt.
- Direct speed & incline keys on the console
- Various motivating programs for different workout requirements.
- Built in speakers
- Sweat proof console design.
- Two Cup/ Mobile Holders.
- Dimension : L X W X H : 2210 X 980 X 1760mm.
- Maximum User Weight: 200 Kgs.



## CARDIO

### SRPK60TE COMMERCIAL TREADMILL WITH TOUCH SCREEN

- AC driving system with adjustable variable frequency.
- 3.0 HP AC continuous (6 HP Peak) motor.
- 21" X 61" running surface.
- Speed 0.8~18kmph.
- Precise incline control from 0~16%.
- 23.8-inch high-definition touch screen.
- When no load detected automatically enter the standby state after 180 sec., Automatic shut down, Fault self-detection system.
- Various motivating programs for different workout requirements.
- Double phenolic heavy cushioned deck for excellent shock absorption that provides suitable push off to reduce the possibility of any type of injury to knees and joints.
- Heavy duty reliable orthopaedic running belt.
- Emergency stop button.
- Sweat proof console design.
- Dimension : L X W X H : 2200 X 850 X 1510mm.
- Maximum User Weight : 150Kgs.



## CARDIO

### SRPK60 COMMERCIAL TREADMILL

- ACdriving systemwith adjustable variable frequency.
- Continuous : 2.2 KW/3.0 HP Peak: 3.3 KW/4.5 HP.
- 21"X 61"running surface.
- Speed 0.8~ 18kmph.
- Preciseincline control from 0~16%.
- 7" LEDdisplay.
- When no load detected automatically enter the standby state after 180 sec.,Automatic shutdown, Fault self-detection system.
- Variousmotivating programsfor different workout requirements.
- Double phenolic heavy cushioned deck forexcellentshockabsorption that providessuitablepush off to reduce the possibility of any type ofinjury to knees and joints.
- Heavy duty reliable orthopaedic running belt.
- Emergency stop button.
- Sweat proof console design.
- Dimension : L X W X H : 2200 X 850 X 1510mm.
- Maximum UserWeight : 150Kgs.



## CARDIO

### SRPK17 COMMERCIAL TREADMILL

- 5.0 HPAC continuous (10HP Peak) motor.
- AC driving system with adjustable variable frequency.
- Speed 1~20kmph.
- Precise incline control from 0-16%.
- 560 X 1600 mm running surface.
- 21.5cm display showing time, speed, distance, incline, calories & heart rate.
- Running board / Running belt 25mm thickness running board  
2.2mm wear-resisting running board.
- Roller diameter  $\varnothing$  75mm.
- Fault self-detection system/Running belt automatic deviation correction.
- Instant Speed: 3/6/9/12; Slope: 3/6/9/12; Speed  
shortcut keys continuously adjustable range 2KM/H, safe and reliable.
- Dimension : L X W X H : 2200 X 920 X 1550 mm.
- Maximum User Weight: 200 Kgs.



## **CARDIO**

SRPK80

HEAVY DUTY COMMERCIAL TREADMILL

- ACdriving systemwith adjustable variablefrequency.
- 3.0 HPACcontinuous (6 HP Peak) motor.
- 21"X 66" running surface.
- Speed 0.8~ 18kmph.
- Preciseincline control from 0~16%.
- 7" LEDdisplay.
- 18mmthicknessrunning board : 2.2mm wear resisting.
- PUfoaming side armrest, self-skinthicknessmore than 2mm.
- Variousmotivating programsfor different workout requirements.
- Double phenolic heavy cushioned deck for excellent shockabsorption that providessuitable push off to reduce the possibility of any type ofinjury to kneesand joints.
- Heavy duty reliable orthopaedic running belt.
- Emergency stop button
- Sweat proof console design.
- Maximum UserWeight: 150Kgs.

# HEAVY DUTY COMMERCIAL TREADMILL WITH TOUCH SCREEN

**Mazak**<sup>TM</sup>  
FITNESS USA



## **CARDIO**

### SR9100T HEAVY DUTY COMMERCIAL TREADMILL

- AC driving system with adjustable variable frequency.
- 3.0 HP AC continuous (6 HP Peak) motor.
- 21" X 66" running surface.
- Speed 0.8~ 20kmph.
- Precise incline control from 0~20%.
- 24-inch high-definition touchscreen; Wi-Fi connectivity for online video and audio playback, making running more enjoyable.
- Support wireless charging for smartphones, eliminating the need for cables.
- 30mm thick single-sided deck
- PU foam handrail with built-in heart rate monitoring.
- Various motivating programs for different workout requirements.
- Double phenolic heavy cushioned deck for excellent shock absorption that provides suitable push off to reduce the possibility of any type of injury to knees and joints.
- Durable 2.5mm thick belt.
- Emergency stop button.
- Sweat proof console design.
- Dimension : LXWXH: 2130 X 920 X 1650 mm.
- Maximum User Weight: 150 Kgs.



## **CARDIO**

SR9100

### HEAVY DUTY COMMERCIAL TREADMILL

- AC driving system with adjustable variable frequency.
- 3.0 HP AC continuous (6 HP Peak) motor.
- 21" X 66" running surface.
- Speed 0.8~20kmph.
- Precise incline control from 0~20%.
- Display showing time, speed, distance, incline, calories & heart rate.
- 30mm thick single-sided deck
- PU foam handrails with built-in heart rate monitoring.
- Various motivating programs for different workout requirements.
- Double phenolic heavy cushioned deck for excellent shock absorption that provides suitable push off to reduce the possibility of any type of injury to knees and joints.
- Durable 2.5mm thick belt.
- Emergency stop button.
- Sweat proof console design.
- Dimension : LXWXH: 2130 X 920 X 1650 mm.
- Maximum User Weight: 150Kgs.



## **CARDIO**

### **SRPK70 CURVETREADMILL**

- Innovative curved deck with durable nylon belt.
- Non motorized technology.
- Display showing : distance, time, speed, pulse, calories & body fat.
- Exercisedescription : run, power walk, lateral shuffle & low push.
- 0-100% magnetic resistance control system
- Highly durable treadmill with low maintenance cost.
- Ideal for core strength & interval training.
- Long hand rails for maximum safety.
- Maximum user weight 180 kg.
- Dimension : LXWXH: 1875 X 935 X 1550 mm.



## **CARDIO**

### SRP007 STAIR CLIMBER

- 8 window white LED display.
- Data readout : Resistance level, power, exercise time, calories, heart rate (such as with polar T34, 5.3K frequency heart rate band), exercise distance, etc.
- Resistance system: ele 1-40 chromagnetic resistance adjustment system.
- Resistance gear: 1-40 (adjust during movement).
- Handle: TPR multi-position handle.
- Appearance: all-inclusive ABS housing, featuring sports atmosphere breathing light belt.
- Maintenance-free system: fault self-test system, when the machine fails, the fault code is automatically displayed.
- Sleep mode: When the machine is on standby, it will enter the sleep mode in 5 minutes
- Dimension : LXWXH: 1357X905 X2230 mm.
- Maximum user weight : 180Kgs.

# HEAVY DUTY COMMERCIAL ELLIPTICAL TRAINER WITH TOUCH SCREEN

**Mazak**<sup>TM</sup>  
FITNESSUSA



## **CARDIO**

### SR-E8T HEAVY DUTY COMMERCIAL ELLIPTICAL TRAINER

- 23.6 inch LED display touch screen matrix showing time, speed, distance, calories, pace, heart rate etc.
- Resistance range : 2D levels.
- Power : Self generator.
- Program 9 preset programs.
- Large and impact absorbing pedals provide gentle movement to reduce low back stress.
- New patented technology with 21" stride.
- Hand heart rate / wireless heart rate monitor.
- Step height 200mm.
- Shortcut key resistance direct solution.
- Charging function USB charging.
- Dimension : L X W X H : 1861 X 871 X 1732 mm.
- Maximum User Weight 160 Kgs.



## CARDIO

### SR-E5 HEAVY DUTY COMMERCIAL ELLIPTICAL TRAINER

- 6 window LEDdisplay with dot matrix showing time, speed, distance, calories, pace, heart rate etc.
- Resistance range : 20 levels.
- Power : Self generator.
- Program 9 preset programs.
- Large and impact absorbing pedals provide gentle movement to reduce low back stress.
- New patented technology with 21" stride.
- Hand heart rate / wireless heart rate monitor.
- Step height 200mm.
- Shortcut key resistance direct solution.
- Charging function USB charging.
- Dimension : L X W X H : 1861 X 871 X 1732 mm.
- Maximum User Weight 160 Kgs.



## **CARDIO**

### SR-E8 COMMERCIAL ELLIPTICAL TRAINER

- Resistance : Electro magnetic resistance system.
- Display : 15.6" Multi window LED dot matrix.
- Selfpower generating.
- Resistance level : 32 levels.
- Various motivating programs for different workout requirements.
- Flywheel : 250W.
- 20" stride length & 3 pc crank arm.
- Comes with mobile phone holder & Transport wheels.
- Maximum User Weight : 180 kgs.
- Dimension : LXWXH: 1920 X 910 X 1820 mm.

# COMMERCIAL ELLIPTICAL TRAINER WITH TOUCH SCREEN

**Mazak**<sup>TM</sup>  
FITNESSUSA



## **CARDIO**

### VENUS-E6T COMMERCIAL ELLIPTICAL TRAINER

- Resistance : Electro magnetic resistance system.
- Display : 15.6" Multi window LED dot matrix.
- Self power generating.
- Resistance level : 32 levels.
- Various motivating programs for different workout requirements.
- Flywheel : 250W.
- 20" stride length & 3 pc crank arm.
- Comes with mobile phone holder & Transport wheels.
- Maximum User Weight : 180 kgs.
- Dimension : LXWXH: 1920 X 910 X 1820 mm.



## **CARDIO**

### **VENUS-E6 COMMERCIAL ELLIPTICAL TRAINER**

- Resistance : Electro magnetic resistance system.
- Display : 15.6" Multi window LED dot matrix.
- Selfpower generating.
- Resistance level : 1-50 levels.
- Various motivating programs for different workout requirements.
- Flywheel : 220+20V
- 20" stride length & 3 pc crank arm.
- Maximum User Weight : 200 kgs.
- Dimension : LXWXH: 2177 X 793 X 1909 mm.



## **CARDIO**

SR-P780

COMMERCIAL ELLIPTICAL TRAINER

- Self Power generating.
- Various motivating programs for different workout requirements.
- Readouts : Calories, Distance, Time, Resistance, Intensity, Heart rate, Program.
- 7" LED Display.
- Electromagnetic resistance.
- Fly wheel : 15kg.
- Max user weight : 150kg.



## **CARDIO**

### SR-P790M COMMERCIAL ELLIPTICAL TRAINER

- SelfPower generating.
- Various motivating programs for different workout requirements.
- Readouts : Calories, Distance, Time, Resistance, Intensity, Heart rate, Program.
- 7" LED Display.
- Electromagnetic resistance.
- Fly wheel : 15kg.
- Max user weight : 150kg.



## CARDIO

SR-P390R

COMMERCIAL RECUMBENT BIKE

- Resistance System: Level 1-40, electromagnetic resistance control system
- Fly wheel weight : 15Kg.
- Seat adjustment : Has 18 seat adjustment.
- Power supply mode : Self-generating electricity.
- Reluctance protection function : When the system automatically detects load, 180s will automatically enter the standby state to protect the reluctance motor.
- Standard Function: Hand hold heart rate / USB charging / Feature light belt / fault Self-detection system.
- Screen: 7 Windows white LED screen.
- Display content : Resistance/ Speed / Time / Distance/ Heart rate / Steps frequency / Power / Met.
- Backrest: Ergonomic backrest to protect waist and reduce damage the cut-out design keeps the back fresh at all times.
- Dimension : LXWXH: 1720X 750 X 1430 mm.
- Maximum user weight : 150Kgs.



## **CARDIO**

SR-P290U

### COMMERCIAL UPRIGHT BIKE

- Resistance System: Level 1-40, electromagnetic resistance control system.
- Fly wheel weight : 15Kg.
- Seat adjustment : Has 18 seat adjustment.
- Power supply mode : Spontaneous electricity.
- Reluctance protection function : When the system automatically detects load, 180s will automatically enter the standby state to protect the reluctance motor.
- Standard Function: Hand hold heart rate / USB charging / Feature light belt / fault Self-detection system.
- Screen: 7 Windows white LED screen.
- Display content : Resistance/ Speed / Time / Distance/ Heart rate / Steps frequency / Power / Met.
- Handle : Ergonomic elbow bracket.
- Dimension : LXWXH: 1200 X 580 X 1550 mm.
- Maximum user weight : 150Kgs.



## **CARDIO**

SR-6000

HEAVY DUTY COMMERCIAL SPIN BIKE

- Resistance: Magnetic system.
- Flywheel: Aluminium magnetic heavy duty & ensures smooth drives.
- Crank: Heavy duty 3 pc cranking system.
- Drive system: Belt driven.
- Seat: Ergonomic seat, adjustable Up / Down, Front / Back
- Handle bar: Rubber coated multiposition with Up / Down adjustment.
- Dimension: L X W X H: 1050 X 730 X 1493 mm.
- Maximum User Weight: 170Kgs.



## **CARDIO**

### SR-980 SPIN BIKE

- Resistance system Magnetic control resistance system.
- Flywheel weight : 17kgs.
- Nine seat height adjustment.
- Handle Bar Multiple position, 11 position height adjustment.
- Maximum user weight : 150kgs.
- Dimension : LXWXH: 1200 X 580 X 1550 mm.



## **CARDIO**

### **SR-001 AIR BIKE**

- Driven system: Wind resistance transmission Belt.
- Double-sided/aluminum alloy pedal.
- Fixed pedal aluminium crank.
- Show Window: 5-inch LCD screen.
- Display information: Time, speed average speed, heat average heat, distance, speed average speed, power average power, heart rate average heart rate.
- Transport wheels+ Leverage adjustment.
- Dimension : LXWXH: 1340 X 590 X 1250 mm.
- Maximum user weight : 150kgs.



## **CARDIO**

SR-K29100

AIR BIKE

- Belt transmission system with fan flywheel
- Dipping handlebar.
- Crank:3 pcs with JD-304V pedals.
- Saddle: KS-9068
- With Horizontal and 11 Levels vertical seat post
- Monitor:JSD-10421 (Speed, calories, distance, time, built in receiver).
- Carton Size:1280X380X890MM.
- Maximum user weight : 150kgs.



## **CARDIO**

### SR-K29162 MAGNETIC AIR BIKE

- Belt transmission system with fan flywheel
- Dipping handlebar.
- Crank:3 pcs with JD-304V pedals.
- Saddle: KS-9068
- .With Horizontal and vertical seat post
- Monitor: ST-39117M (Speed, calories, distance, time, built in receiver, with WATT)
- Carton Size:1280X380X890MM.
- Maximum user weight : 150kgs.

# FUNCTIONAL TRAINER



# CABLE CROSS OVER & FUNCTIONAL TRAINER



## SR-212 CABLE CROSS OVER

- LXWXH : 4091X 1065 X 2344 mm.
- Max user weight : 180Kgs.
- Stackweight : 100LbsX 2 = 200 Lbs

## SR-XHA005 CABLE CROSS OVER

- LXWXH : 4572 X 1067X 2440mm.
- Max user weight : 355 Kgs.
- Stackweight : 220 LbsX 2 = 440 Lbs.



## SR-950 FUNCTIONAL TRAINER AND SMITH MACHINE

- LXWXH : 2351X 1367 X 2159 mm.
- Max Userweight : 180 Kg.
- Weight stack : 120LbsX 2 = 240 Lbs.



## SR-8021 FUNCTIONAL TRAINER

- LXWXH : 1745X 1080 X 2405 mm.
- Max user weight : 180 Kgs.
- Stackweight : 100LbsX 2 = 200 Lbs.



**SR-XH005A**  
**FUNCTIONAL TRAINER**

- LXWXH : 2460 X 1575 X 2100 mm.
- Max user weight : 420kgs.
- Stackweight : 220 Lbs X 2 = 440 Lbs.



**SR-1801**  
**ROBO ARM**

- LXWXH : 3380 X 1600 X 2410 mm.
- Max user weight : 180 Kgs.
- Stackweight : 100 Lbs X 2 = 200 Lbs.



**SR-222**  
**SMITH MACHINE**

- 4.4 Lbs Counter balanced bar.
- Heavy duty mainframe : 95 X 2.5 mm.
- LXWXH : 2165 X 1575 X 2360 mm.
- Maximum User Weight : 180 Kgs.



**SR-BH23**  
**SMITH MACHINE**

- 4.4 Lbs Counter balanced bar.
- Heavy duty mainframe : 95 X 2.5 mm.
- LXWXH : 2120 X 1320 X 2350 mm.
- Maximum User Weight : 180 Kgs.

# ROBO PUMP





**SR-EP313**  
**SHOULDER PRESS**

- Dimensions : 1466 X 1354 X 1385 mm.
- N.W. : 150kgs.



**SR-EP320**  
**VERTICAL TRACTION**

- Dimensions : 1371 X 1067 X 1855 mm.
- N.W. : 186kgs.



**SR-EP319**  
**LEG PRESS**

- Dimensions : 2310 X 1280 X 1429 mm.
- N.W. : 235kgs.



**SR-EP323**  
**CHEST PRESS**

- Dimensions : 1489 X 1333 X 1680 mm.
- N.W. : 184kgs.



**SR-EP324  
MID ROW**

- Dimensions : 1165 X 1412 X 1385 mm.
- N.W. : 140kgs.



**SR-EP410  
PECTORAL FLY / REAR DELTA**

- Dimensions : 1508 X 1502 X 1684 mm.
- N.W. : 195kgs.



**SR-EP417  
LEG EXTENSION / CURL EXTENSION**

- Dimensions : 1172 X 1398 X 1385 mm.
- N.W. : 200kgs.



**SR-EP418  
ABDOMINAL / LOW BACK MACHINE**

- Dimensions : 1172 X 1398 X 1385 mm.
- N.W. : 200kgs.



**SR-EP427**  
**ABDUCTOR / ADDUCTOR**

- Dimensions : 1343 X 1463X 1385 mm.
- N.W. : 158kgs.



**SR-EP430**  
**BICEP CURL / TRICEP EXTENSION**

- Dimensions : 1365 X 1380X 1385 mm.
- N.W. : 153kgs.

# STELLAR





## SR-PC1601 MULTIPRESS

- LXWXH : 1985 X 1350 X 1676 mm.
- Stackweight : 68 Kgs.
- Specification : Main tube 50 X120 elliptical.
- Cable : Steelcable 4.8 diameter max loading 10000N-15000N.



## SR-PC1602 LAT PULL /SEATED ROW

- LXWXH : 1875 X 1214X 2251mm.
- Stackweight : 86 Kgs.
- Specification : Main tube 50 X120 elliptical.
- Cable : Steelcable 4.8 diameter max loading 10000N-15000N.



## SR-PC1603 PEC FLY /REAR DELT

- LXWXH : 1370 X 1501X 1948 mm.
- Stackweight : 86 Kgs.
- Specification : Main tube 50 X120 elliptical.
- Cable : Steelcable 4.8 diameter max loading 10000N-15000N.



## SR-PC1604 ASSISTED CHIN UP

- LXWXH : 1187X 1532 X 2200mm.
- Stack weight : 77 Kgs.
- Specification : Main tube 50 X120 elliptical.
- Cable : Steelcable 4.8 diameter max loading 10000N-15000N.



**SR-PC1605**  
**LEG CURL/LEG EXTENSION**

- LXWXH : 1407 X 1373 X 1580mm.
- Stack weight : 132Kgs.
- Specification : Main tube 50 X120 elliptical.
- Cable : Steelcable 4.8 diameter max loading 10000N-15000N.



**SR-PC1606**  
**HIP ABDUCTION/ ADDUCTION**

- LXWXH : 1695 X 730 X 1580mm.
- Stackweight : 68 Kgs.
- Specification : Main tube 50 X120 elliptical.
- Cable : Steelcable 4.8 diameter max loading 10000N-15000N.



**SR-PC1607**  
**BICEPS CURL/ TRICEPSEXTENSION**

- LXWXH : 1103 X 1342 X 1580 mm.
- Stackweight : 55 Kgs.
- Specification : Main tube 50 X120 elliptical.
- Cable : Steelcable 4.8 diameter max loading 10000N-15000N.



**SR-PC1608**  
**LEG PRESS/ CALF EXTENSION**

- LXWXH : 1960 X 1135X 1580 mm.
- Stack weight : 132Kgs.
- Specification : Main tube 50 X120 elliptical.
- Cable : Steelcable 4.8 diameter max loading 10000N-15000N.

# STELLAR 1.0





**SR-PC2001**  
**SEATED CHESTPRESS**

- PRODUCTSIZ:1555\*985\*1815MM
- WEIGHT:182KG
- WEIGHTSTACK:54Kg



**SR-PC2002**  
**SEATED ROW**

- PRODUCTSIZ:1590\*1115\*1500MM
- WEIGHT:196KG
- WEIGHTSTACK:86KG



**SR-PC2003**  
**SHOULDER PRESS**

- PRODUCTSIZ:1707\*1459\*1500MM
- WEIGHT:203KG
- WEIGHTSTACK:54KG



**SR-PC2004**  
**TORSO ROTATION**

- PRODUCTSIZ:1215\*825\*1500MM
- WEIGHT:178KG
- WEIGHTSTACK:54KG



**SR-PC2005**  
**LEG EXTENSION**

- PRODUCTSIZE:1475\*1260\*1500MM
- WEIGHT:228KG
- WEIGHTSTACK:86KG



**SR-PC2006**  
**SEATED LEG CURL**

- PRODUCTSIZE:1455\*1265\*1500MM
- WEIGHT:238KG
- WEIGHTSTACK:86KG



**SR-PC2007**  
**BICEP CURL**

- PRODUCTSIZE:1255\*1085\*1500MM
- WEIGHT:168KG
- WEIGHTSTACK:54KG



**SR-PC2008**  
**TRICEP EXTENSION**

- PRODUCTSIZE:1245\*1020\*1500MM
- WEIGHT:178KG
- WEIGHTSTACK:54KG



**SR-PC2009**  
**ABDOMINUL**

- PRODUCTSIZE:900\*1210\*1500MM
- WEIGHT:216KG
- WEIGHTSTACK:86KG



**SR-PC2010**  
**BACK EXTENSION**

- PRODUCTSIZE:1223\*1219\*1500MM
- WEIGHT:219KG
- WEIGHTSTACK:86KG



**SR-PC2011**  
**SEATED LEG PRESS**

- PRODUCTSIZE:1864\*1184\*1500MM
- WEIGHT:346KG
- WEIGHTSTACK:150KG



**SR-PC2012**  
**DELTOID TRAINER**

- PRODUCTSIZE:1530\*710\*1567MM
- WEIGHT:179KG
- WEIGHTSTACK:54KG



**SR-PC2013**  
**LATPULLDOWN**

- PRODUCTSIZE:1475\*1213\*2303MM
- WEIGHT:276KG
- WEIGHTSTACK:77K



**SR-PC2014**  
**DIP/CHINASSIST**

- PRODUCTSIZE:1238\*1187\*2236MM
- WEIGHT:212KG
- WEIGHTSTACK:77KG



**SR-PC2015**  
**HIP TRAINER**

- PRODUCTSIZE:1725\*1278\*1500MM
- WEIGHT:212KG
- WEIGHTSTACK:68KG



**SR-PC2016**  
**HIP ABDUCTION / ADDUCTION**

- PRODUCTSIZE:1617\*677\*1500MM
- WEIGHT:208KG
- WEIGHTSTACK:68KG



**SR-PC2017**  
**STANDING CALF EXTENSION**

- PRODUCTSIZE:1054\*955\*1656MM
- WEIGHT:218KG
- WEIGHTSTACK:77KG



**SR-PC2018**  
**PRONE LEG CURL**

- PRODUCTSIZE:1725\*1278\*1500MM
- WEIGHT:212KG
- WEIGHTSTACK:68KG



**SR-PC2019**  
**LOW ROW**

- PRODUCTSIZE:1480\*1020\*1853MM
- WEIGHT:218KG
- WEIGHTSTACK:100KG



**SR-PC2020**  
**HIP TRAINER**

- PRODUCTSIZE:2160\*1000\*1500MM
- WEIGHT:182KG
- WEIGHTSTACK:77KG



**SR-PC2021**  
**MULTI PRESS**

- PRODUCTSIZE:1984\*1350\*1676MM
- WEIGHT: 216KG
- WEIGHTSTACK: 64KG



**SR-PC2023**  
**NECK TRAINER**

- PRODUCTSIZE:1720\*710\*1578MM
- WEIGHT:242KG
- WEIGHTSTACK:91KG



**SR-PC2024**  
**ROTARY HIP**

- PRODUCTSIZE:1606\*1403\*990MM
- WEIGHT:
- WEIGHTSTACK:



**SR-PC2025**  
**LEG EXTENSION/LEG CURL**

- PRODUCTSIZE:1808\*1213\*2270MM
- WEIGHT:261KG
- WEIGHTSTACK:77KG



**SR-PC2027**  
**BICEPS CURL / TRICEPS EXTENSION**

- PRODUCTSIZE:1239\*1305\*2270MM
- WEIGHT:168KG
- WEIGHTSTACK:55KG



**SR-PC2028**  
**LEG PRESS/CELF EXTENSION**

- PRODUCTSIZE:1940\*11135\*1580MM
- WEIGHT:219KG
- WEIGHTSTACK:181KG



**SR-PC2029**  
**BACK EXTENSION**

- PRODUCTSIZE:1314\*1199\*1580MM
- WEIGHT:187KG
- WEIGHTSTACK:100KG



**SR-PC2031**  
**PEC FLY/DEAR DELT**

- PRODUCTSIZE:1808\*1213\*2270MM
- WEIGHT:261KG
- WEIGHTSTACK:77KG



**SR-PC2032**  
**PULLDOWN/SEATED ROW**  
→ PRODUCTSIZ:1808\*1213\*2270MM  
→ WEIGHT:261KG  
→ WEIGHTSTACK:77KG



**SR-PC2033**  
**STANDING BICEPS**  
→ PRODUCTSIZ:709\*1407\*1496MM  
→ WEIGHT:169KG  
→ WEIGHTSTACK:68KG



**SR-PC2035**  
**WEIST TWIST**  
→ PRODUCTSIZ:1325\*710\*1500MM  
→ WEIGHT:210KG  
→ WEIGHTSTACK:68KG



**SR-PC2037**  
**CHEST PRESS/SHOULDER PRESS**  
→ PRODUCTSIZ:1984\*1350\*1676MM  
→ WEIGHT:183KG  
→ WEIGHTSTACK:68KG

# STELLAR 2.0





**SR-PC2101**  
**MULTIPRESS**

- PRODUCTSIZE:1985\*1356\*1667MM
- WEIGHT:225KG
- WEIGHTSTACK:68KG



**SR-PC2102**  
**LAT PULL / SEATEDROW**

- PRODUCTSIZE:1878\*1214\*2258MM
- WEIGHT:214KG
- WEIGHTSTACK:86KG



**SR-PC2103**  
**PECFLY / REAR DELT**

- PRODUCTSIZE:1370\*1501\*1953MM
- WEIGHT:233KG
- WEIGHTSTACK:86KG



**SR-PC2104**  
**ASSISTEDCHIN UP**

- PRODUCTSIZE:1164\*1543\*2200MM
- WEIGHT:237KG
- WEIGHTSTACK:64KG



**SR-PC2105**  
**LEG CURL/ LEG EXTENSION**

- PRODUCTSIZ:1610\*1328\*1498MM
- WEIGHT:192KG
- WEIGHTSTACK:68KG



**SR-PC2106**  
**HIP ABDUCTION/ ADDUCTION**

- PRODUCTSIZ:1670\*730\*1498MM
- WEIGHT:189KG
- WEIGHTSTACK:68KG



**SR-PC2107**  
**BICEPS CURL / TRICEPSEXTENSION**

- PRODUCTSIZ:1115\*1310\*1498MM
- WEIGHT:181KG
- WEIGHTSTACK:55KG



**SR-PC2108**  
**LEG PRESS/ CALF EXTENSION**

- PRODUCTSIZ:1940\*1135\*1498MM
- WEIGHT:301KG
- WEIGHTSTACK:132KG



## SR-PC2109 ABDOMINAL / BACK EXTENSION

- PRODUCTSIZE:1120\*1250\*1498MM
- WEIGHT:227KG
- WEIGHTSTACK:118KG



## SR-PC2201 SEATED CHEST PRESS

- PRODUCTSIZE:972\*1517\*1815MM
- WEIGHT:181KG
- WEIGHTSTACK:54KG



## SR-PC2202 SEATED ROW

- PRODUCTSIZE:1590\*1080\*1498MM
- WEIGHT:192KG
- WEIGHTSTACK:68KG



## SR-PC2203 SHOULDER PRESS

- PRODUCTSIZE:1707\*1460\*1948MM
- WEIGHT:187KG
- WEIGHTSTACK:54KG



**SR-PC2204**  
**TORSO ROTATION**

- PRODUCTSIZE:862\*1261\*1498MM
- WEIGHT:159KG
- WEIGHTSTACK:54KG



**SR-PC2205**  
**LEG EXTENSION**

- PRODUCTSIZE:1267\*1208\*1498MM
- WEIGHT:218KG
- WEIGHTSTACK:86KG



**SR-PC2206**  
**LEG CURL / LEG EXTENSION**

- PRODUCTSIZE:1430\*1208\*1498MM
- WEIGHT:216KG
- WEIGHTSTACK:86KG



**SR-PC2207**  
**BICEPS CURL**

- PRODUCTSIZE:1119\*1200\*1498MM
- WEIGHT:163KG
- WEIGHTSTACK:54KG



**SR-PC2208**  
**TRICEPS EXTENSION**

- PRODUCTSIZE:1004\*1260\*1498MM
- WEIGHT:169KG
- WEIGHTSTACK:54KG



**SR-PC2209**  
**ABDOMINAL**

- PRODUCTSIZE:900\*1176\*1498MM
- WEIGHT:205KG
- WEIGHTSTACK:86KG



**SR-PC2210**  
**BACK EXTENSION**

- PRODUCTSIZE:1298\*1185\*1498MM
- WEIGHT:211KG
- WEIGHTSTACK:86KG



**SR-PC2211**  
**SEATED LEG PRESS**

- PRODUCTSIZE:1864\*1182\*1498MM
- WEIGHT:344KG
- WEIGHTSTACK:150KG



**SR-PC2212**  
**DELTOID TRAINER**

- PRODUCTSIZE:1530\*710\*1567MM
- WEIGHT:179KG
- WEIGHTSTACK:54KG



**SR-PC2215**  
**HIP TRAINER**

- PRODUCTSIZE:1725\*1278\*1500MM
- WEIGHT:212KG
- WEIGHTSTACK:68KG



**SR-PC2217**  
**STANDING CALF EXTENSION**

- RODUCTSIZE:1054\*955\*1656MM
- WEIGHT:218KG
- WEIGHTSTACK:77KG



**SR-PC2216**  
**HIP ABDUCTION / ADDUCTION**

- PRODUCTSIZE:1617\*677\*1500MM
- WEIGHT:208KG
- WEIGHTSTACK:68KG



**SR-PC2218**  
**PRONE LEG CURL**

- PRODUCTSIZE:1725\*1278\*1500MM
- WEIGHT:212KG
- WEIGHTSTACK:68KG



**SR-PC2220**  
**HIP TRAINER**

- PRODUCTSIZE:2160\*1000\*1500MM
- WEIGHT:182KG
- WEIGHTSTACK:77KG



**SR-PC2222**  
**LATERAL RAISE**

- PRODUCTSIZE:937\*1192\*1498MM
- WEIGHT:216KG
- WEIGHTSTACK:68KG



**SR-PC2223**  
**NECK BENDING**

- PRODUCTSIZE:1720\*710\*1578MM
- WEIGHT:242KG
- WEIGHTSTACK:91KG



**SR-PC2231**  
**PEC FLY/DEAR DELT**

- PRODUCTSIZ:1808\*1213\*2270MM
- WEIGHT:261KG
- WEIGHTSTACK:77KG



**SR-PC2233**  
**STANDING BICEPS**

- PRODUCTSIZ:709\*1407\*1496MM
- WEIGHT:169KG
- WEIGHTSTACK:68KG



**SR-PC2235**  
**WEIST TWIST**

- PRODUCTSIZ:1325\*710\*1500MM
- WEIGHT:210KG
- WEIGHTSTACK:68KG



**SR-PC2237**  
**CHEST PRESS/SHOULDER PRESS**

- PRODUCTSIZ:1984\*1350\*1676MM
- WEIGHT:183KG
- WEIGHTSTACK:68KG

# STELLAR 3.0





**SR-PC2501**  
**SEATED CHESTPRESS**

- PRODUCTSIZE:1555\*985\*1815MM
- WEIGHT:182KG
- WEIGHTSTACK:54Kg



**SR-PC2502**  
**SEATED ROW**

- PRODUCTSIZE:1590\*1115\*1500MM
- WEIGHT:196KG
- WEIGHTSTACK:86KG



**SR-PC2503**  
**SHOULDER PRESS**

- PRODUCTSIZE:1707\*1459\*1500MM
- WEIGHT:203KG
- WEIGHTSTACK:54KG



**SR-PC2504**  
**TORSO ROTATION**

- PRODUCTSIZE:1215\*825\*1500MM
- WEIGHT:178KG
- WEIGHTSTACK:54KG



SR-PC2505  
LEG EXTENSION

- PRODUCTSIZE:1475\*1260\*1500MM
- WEIGHT:228KG
- WEIGHTSTACK:86KG



SR-PC2506  
SEATED LEG CURL

- PRODUCTSIZE:1455\*1265\*1500MM
- WEIGHT:238KG
- WEIGHTSTACK:86KG



SR-PC2507  
BICEPS CURL

- PRODUCTSIZE:1255\*1085\*1500MM
- WEIGHT:168KG
- WEIGHTSTACK:54KG



SR-PC2508  
TRICEPEEXTENSION

- PRODUCTSIZE:1245\*1020\*1500MM
- WEIGHT:178KG
- WEIGHTSTACK:54KG



**SR-PC2509**  
**ABDOMINUL**

- PRODUCTSIZ:900\*1210\*1500MM
- WEIGHT:216KG
- WEIGHTSTACK:86KG



**SR-PC2510**  
**BACK EXTENSION**

- PRODUCTSIZ:1223\*1219\*1500MM
- WEIGHT:219KG
- WEIGHTSTACK:86KG



**SR-PC2511**  
**SEATED LEG PRESS**

- PRODUCTSIZ:1864\*1184\*1500MM
- WEIGHT:346KG
- WEIGHTSTACK:150KG



**SR-PC2512**  
**DELTOID TRAINER**

- PRODUCTSIZ:1530\*710\*1567MM
- WEIGHT:179KG
- WEIGHTSTACK:54KG



**SR-PC2513**  
**LAT PULLDOWN**

- PRODUCT SIZE: 1475\*1213\*2303MM
- WEIGHT: 276KG
- WEIGHT STACK: 77K



**SR-PC2514**  
**DIP/CHIN ASSIST**

- PRODUCT SIZE: 1238\*1187\*2236MM
- WEIGHT: 212KG
- WEIGHT STACK: 77KG



**SR-PC2515**  
**HIP TRAINER**

- PRODUCT SIZE: 1625\*1130\*1490MM
- WEIGHT: 212KG
- WEIGHT STACK: 68KG



**SR-PC2516**  
**HIP ABDUCTOR**

- PRODUCT SIZE: 1617\*677\*1500MM
- WEIGHT: 208KG
- WEIGHT STACK: 68KG



SR-PC2517  
STANDING CLIF EXTENSION

- PRODUCTSIZE:1054\*955\*1656MM
- WEIGHT:218KG
- WEIGHTSTACK:77KG



SR-PC2518  
PRONE LEG CURL

- PRODUCTSIZE:1725\*1278\*1500MM
- WEIGHT:212KG
- WEIGHTSTACK:68KG



SR-PC2519  
LOW ROW

- PRODUCTSIZE:1480\*1020\*1853MM
- WEIGHT:218KG
- WEIGHTSTACK:100KG



SR-PC2520  
HIP TRAINER

- PRODUCTSIZE:2160\*1000\*1500MM
- WEIGHT:182KG
- WEIGHTSTACK:77KG



**SR-PC2521**  
**MULTI PRESS**

- PRODUCTSIZE:1984\*1350\*1676MM
- WEIGHT:220KG
- WEIGHTSTACK:54KG



**SR-PC2525**  
**LEG PRESS/CALEF EXTENSION**

- PRODUCTSIZE:1940\*11135\*1580MM
- WEIGHT:261KG
- WEIGHTSTACK:77KG



**SR-PC2527**  
**BICEPS CURL / TRICEPS EXTENSION**

- PRODUCTSIZE:1239\*1305\*2270MM
- WEIGHT:168KG
- WEIGHTSTACK:55KG



**SR-PC2529**  
**BACK EXTENSION**

- PRODUCTSIZE:1314\*1199\*1580MM
- WEIGHT:187KG
- WEIGHTSTACK:100KG



**SR-PC2531**  
**PEC FLY / DELT**

- PRODUCTSIZE:1808\*1213\*2270MM
- WEIGHT:261KG
- WEIGHTSTACK:77KG



**SR-PC2532**  
**PULLDOWN / SEATED ROW**

- PRODUCTSIZE:1808\*1213\*2270MM
- WEIGHT:261KG
- WEIGHTSTACK:77KG



**SR-PC2533**  
**STANDING BICEPS**

- PRODUCTSIZE:709\*1407\*1496MM
- WEIGHT:169KG
- WEIGHTSTACK:68KG

# JAGUAR





SR-C4D06  
Lat Pull Down/Low Row

- Machine Waight :233KG
- Product Size :1787\*1213\*2227
- Weight Stacks:80kg-16pcs



SR-C418  
Upper/Mid Abdominal Trainer

- Machine Waight 190KG
- Product Size :1130\*1130\*1620
- Weight Stacks:70kg-14pcs



SR-C425  
Seated Leg Curl

- Machine Waight :252KG
- Product Size :1350\*1200\*1620
- Weight Stacks:80kg-16pcs



SR-C424  
Leg Extension

- Machine Waight :226KG
- Product Size :1350\*1200\*1620
- Weight Stacks:80kg-16pcs



**SR-C426**  
**Prone Lag Curl**

- Machine Weight :205KG
- Product Size :1580\*1120\*1620
- Weight Stacks:80kg-16pcs



**SR-C4D07**  
**Standing Assisted Chin/Dip**

- Machine Weight :235KG
- Product Size :1200\*1590\*1640
- Weight Stacks:70kg-14pcs



**SR-C4D03**  
**Pectoral Fly/Rear Deltoid**

- Machine Weight :228KG
- Product Size :1450\*1250\*2000
- Weight Stacks:80kg-16pcs



**SR-C4D01**  
**Shoulder/Chest press**

- Machine Weight :261KG
- Product Size :1638\*1360\*1620
- Weight Stacks:90kg-18pcs



**SR-C4D09**  
Leg Extension Lying Leg Curl

- Machine Weight :230KG
- Product Size :1690\*950\*1620
- Weight Stacks:90kg-18pcs



**SR-C4D04**  
Biceps/Triceps

- Machine Weight :213KG
- Product Size :1120\*1260\*1620
- Weight Stacks:70kg-14pcs



**SR-C4D10**  
Adductor/Abductor

- Machine Weight :217KG
- Product Size :1620\*716\*1620
- Weight Stacks:80kg-16pcs



**SR-C4D11**  
Leg Press/Seated Calf

- Machine Weight :322KG
- Product Size :1610\*990\*1620
- Weight Stacks:100kg-20pcs



SR-C4D12  
Leg Extension/Leg Curl

- Machine Waight :277KG
- Product Size :1340\*1160\*1620
- Weight Stacks:80kg-16pcs

SR-C4D02  
Standing Lateral Raise/ Pec Fly

- Machine Waight :235KG
- Product Size :1472\*716\*2340
- Weight Stacks:70kg-14pcs



# HYPERTHRIVE





**SR-XN2002**  
**CHEST PRESS**

→ LXWXH : 1800 X 1500 X 1470 mm.  
→ M/CWeight : 218Kgs.



**SR-XN2003**  
**INCLINE PRESS**

→ LXWXH : 1930 X 1300 X 1300 mm.  
→ M/CWeight : 187Kgs.



**SR-XN2004**  
**DECLINE PRESS**

→ LXWXH : 2060 X 1470 X 1240 mm.  
→ Max Weight Capacity : 228 Kgs.



**SR - XN4002**  
**SHOULDER PRESS**

→ LXWXH : 1800 X 1300 X 1470mm.  
→ M/CWeight : 186Kgs.



**SR-XN3006**  
**LAT PULL DOWN**

- LXWXH: 2060 X 1300 X 2030 mm.
- M/CWeight :184Kgs.



**SR-XN3003**  
**LAT PULL DOWN**

- LXWXH : 2060X 1300 X 2030 mm.
- Maximum UserWeight : 184Kgs.



**SR-XN3004**  
**LOW ROW**

- LXWXH : 2010 X 1300 X 1170mm.
- M/CWeight : 193Kgs.



**SR-XN5003**  
**ABDOMINAL CRUNCH**

- LXWXH : 1570 X 1560X 1560 mm.
- MAX WEIGHT CAPACITY : 258Kgs.



**SR-XN1115**  
**GLUTE DRIVE**

→ LXWXH : 1580 X 1530 X 890 mm.  
→ WEIGHT : 114Kgs.



**SR-XN5002**  
**BICEPS CURL**

→ LXWXH : 1550 X 1570 X 1040 mm.  
→ M/CWeight : 211Kgs.



**SR-XN1130**  
**HACK SQUAT**

→ LXWXH : 2360 X 1820 X 1190 mm.  
→ MAX WEIGHT CAPACITY : 202Kgs.



**SR-XN1141**  
**ANGLED LEG PRESS**

→ LXWXH : 2290 X 1820 X 1470 mm.  
→ M/CWeight : 258 Kgs.



SR-XN1112  
INCLINE LEVER ROW

→ LXWXH : 1830 X 860 X 1240 mm.  
→ WEIGHT : 97Kgs.



SR-XN3006  
DEADLIFT SHRUG

→ LXWXH : 1930 X 1300 X 1300 mm.  
→ M/CWeight : 113Kgs.

# ORION SERIES





**SR-BL01**  
**CHEST PRESS**

→ LXWXH : 1790 X 1570 X 1605 mm.  
→ M/CWeight : 155Kgs.



**SR-BL02**  
**INCLINE PECFLY**

→ LXWXH : 1663 X 2358 X 1605 mm.  
→ M/CWeight : 197.5Kgs.



**SR-BL03**  
**SHOULDER PRESS**

→ LXWXH : 1967 X 1547 X 1523mm.  
→ M/CWeight : 185Kgs.



**SR-BL04**  
**LATERAL RAISE**

→ LXWXH : 1156 X 1567 X 1603mm.  
→ M/CWeight : 118.5Kgs.



**SR-BL05**  
**BICEPS CURL**

→ LXWXH : 1560 X 2070 X 1215mm.  
→ M/CWeight : 180Kgs.



**SR-BL06**  
**TRICERS EXTENSION**

→ LXWXH : 1575 X 1630 X 1120mm.  
→ M/CWeight : 197.5Kgs.



**SR-BL07**  
**LATERAL ROW**

→ LXWXH : 2084 X 1567 X 1605mm.  
→ M/CWeight : 155Kgs.



**SR-BL08**  
**FIXED PULLDOWN**

→ LXWXH : 2113 X 1735 X 1945mm.  
→ M/CWeight : 179.5Kgs.



**SR-BL09**  
**LOW ROW**

→ LXWXH : 2530 X 1567 X 1615mm.  
→ M/CWeight : 163Kgs.



**SR-BL10**  
**ILAYDOWN CHEST PRESS**

→ LXWXH : 2590 X 1570 X 1605mm.  
→ M/CWeight : 200Kgs.



**SR-BL11**  
**LEG EXTENSION**

→ LXWXH : 1620 X 1760 X 1290mm.  
→ M/CWeight : 187Kgs.



**SR-BL12**  
**KNEELING LEG CURL**

→ LXWXH : 1559 X 2068 X 1483mm.  
→ M/CWeight : 186Kgs.



**SR-BL13**  
**PRONE LEG CURL**

→ LXWXH : 1684 X 1818 X 882mm.  
→ M/CWeight : 163.5Kgs.



**SR-BL14**  
**LINEAR LEG PRESS**

→ LXWXH : 2510 X 1730 X 1610 mm.  
→ M/CWeight : 340Kgs.



**SR-BL15**  
**LEG PRESS**

→ LXWXH : 2367 X 1567 X 1593mm.  
→ M/CWeight : 210Kgs.



**SR-BL16**  
**INNER THIGH ADDUCTOR**

→ LXWXH : 1745 X 1566 X 1605mm.  
→ M/CWeight : 151Kgs.



**SR-BL17**  
**OUTER THIGH ABDUCTOR**

→ LXWXH : 1745 X 1566 X 1605mm.  
→ M/CWeight : 158.5Kgs.



**SR-BL18**  
**CHEST PRESS**

→ LXWXH : 1625 X 1850 X 1600mm.  
→ M/CWeight : 162Kgs.



**SR-BL19**  
**INCLINE CHEST PRESS**

→ LXWXH : 1560 X 1850 X 1700mm.  
→ M/CWeight : 191.5Kgs.



**SR-BL20**  
**MULTI-FUNCTION PRESS**

→ LXWXH : 2410 X 2000 X 2100mm.  
→ M/CWeight : 250.5Kgs.



**SR-BL21**  
**ROWER MACHINE**

→ LXWXH : 1533 X 2000 X 940mm.  
→ M/CWeight : 70Kgs.



**SR-BL22**  
**HIP GLUTE**

→ LXWXH : 1650 X 2150 X 1600mm.  
→ M/CWeight : 194Kgs.



**SR-BL24**  
**LAYDOWN CHEST PRESS**

→ LXWXH : 1610 X 2450 X 1600mm.  
→ M/CWeight : 191Kgs.



**SR-BL25**  
**TRICEPS PRESS**

→ LXWXH : 2250 X 1660 X 1050mm.  
→ M/CWeight : 155.5Kgs.



**SR-BL27**  
**ASSIST DIPICHIN**

→ LXWXH : 2410 X 2480 X 2000mm.  
→ M/CWeight : 210Kgs.



**SR-BL28**  
**LATERAL ROWINE**

→ LXWXH : 2210 X 1570 X 1600mm.  
→ M/CWeight : 185.5Kgs.



**SR-BL29**  
**PULL DOWN**

→ LXWXH : 1458 X 1735 X 2009mm.  
→ M/CWeight : 210Kgs.



**SR-BL31**  
**HIP THRUST**

→ LXWXH : 2070 X 1802 X 1590mm.  
→ M/CWeight : 225Kgs.



**SR-BL 32**  
**PENDULUM KICKBACK**

→ LXWXH : 1825 X 1550 X 1480mm.  
→ M/CWeight : 152Kgs.



**SR-BL 33**  
**DUAL 45 HIP EXTENSION**

→ LXWXH : 1712 X 1392 X 1450mm.  
→ M/CWeight : 175.5Kgs.



**SR-BL 53**  
**SQUAT TRAINER**

→ LXWXH : 1745 X 1712 X 1605mm.  
→ M/CWeight : 180.5Kgs.

# BENCHES AND RACK





**SR-208**  
**SEATED LIFTING RACK**

- Dimension : LXWXH: 1740X 1380 X 1900 mm.
- Net Weight : 111Kgs.
- Maximum UserWeight : 160kgs.



**SR-209**  
**OLYMPIC FLAT BENCH**

- Dimension : LXWXH: 1745X 1720X 1355 mm.
- Net Weight : 55 Kgs.
- Maximum UserWeight : 160kgs.



**SR-210**  
**OLYMPIC INCLINE BENCH**

- Dimension : LXWXH: 2065 X 1720X 1355mm.
- Net Weight : 76Kgs.
- Maximum UserWeight : 160kgs.



**SR-211**  
**OLYMPIC DECLINE BENCH**

- Dimension : LXWXH: 2065 X 1720X 1355mm.
- Net Weight : 76 Kgs.
- Maximum UserWeight : 160kgs.



**SR-510**  
**OLYMPIC INCLINE BENCH**

- Dimension : LXWXH : 1600 X 1651X 1295 mm.
- Net Weight : 79 Kgs.
- Maximum UserWeight : 180Kgs.



**SR-509**  
**OLYMPIC FLAT BENCH**

- Dimension : LXWXH : 1625 X 1651X 1295 mm.
- Net Weight : 79 Kgs.
- Maximum UserWeight : 180Kgs.



**SR-511**  
**OLYMPIC DECLINE BENCH**

- Dimension : LXWXH : 1143X 1574X 2260mm.
- Net Weight : 105Kgs.
- Maximum UserWeight : 180Kgs.



**SR-215**  
**KNEELIFTING MACHINE**

- Dimension : LXWXH : 1190X 870 X 1760 mm.
- Net Weight : 75 Kgs.
- Maximum UserWeight : 180kgs.



**SR-219**  
**CHIN UP/ DIP**

- Dimension : LXWXH : 1193X 1219X2362mm.
- Net Weight : 75 Kgs.
- Maximum UserWeight : 159Kgs.



**SR-224**  
**MULTI ADJUSTABLE HYPEREXTENSION**

- Dimension : LXWXH : 1016X68.5 X 1346 mm.
- Net Weight : 75 Kgs.
- Maximum UserWeight : 180Kgs.



**SR-205**  
**MULTI PURPOSE BENCH**

- Dimension : LXWXH : 1422 X 736 X 1041mm.
- Net Weight : 37 Kgs.
- Maximum UserWeight : 150Kgs.



**SR-220**  
**ADJUSTABLE HYPEREXTENSION**

- Dimension : LXWXH : 1016X68.5 X 1346 mm.
- Net Weight : 66 Kgs.
- Maximum UserWeight : 180Kgs.



**SR-201**  
**FLAT BENCH**

- Dimension : LXWXH : 1397 X 736 X 431mm.
- Net Weight : 50 Kgs.
- Maximum UserWeight : 159Kgs.



**SR-227**  
**STRETCHING MACHINE**

- Dimension : LXWXH : 1510X790 X 1100mm.
- Net Weight : 35 Kgs.
- Maximum UserWeight : 180Kgs.



**SR-228**  
**ADJUSTABLE AB BENCH**

- Dimension : LXWXH : 1498 X 863 X 1041mm.
- Net Weight : 47 Kgs.
- Maximum UserWeight : 159Kgs.



**SR-528**  
**ADJUSTABLE FLAT / DECLINE BENCH**

- Dimension : LXWXH: 680 X660 X608 mm.
- Net Weight 56 kgs.
- Maximum UserWeight : 150Kgs.



**SR-229**  
**SISSYSQUAT BENCH**

- Dimension : LXWXH: 1252X750 X 388 mm.
- Maximum UserWeight : 150Kgs.



**SR-206**  
**PREACHER CURL BENCH**

- Dimension : LXWXH: 1220X860 X 940 mm.
- Machine Weight : 46 Kgs.
- Maximum UserWeight : 159Kgs.



**SR-506**  
**PREACHER CURL BENCH**

- Dimension : LXWXH: 1047 X 752 X 1019mm.
- Machine Weight : 52 Kgs.
- Maximum UserWeight : 159Kgs.



**SR-231**  
**INCLINE T BAR ROW**

- Dimension : LXWXH: 850 X 800 X 1200 mm.
- Machine Weight : 76 Kgs.
- Maximum UserWeight : 180Kgs.



**SR-232**  
**SEATED CALF RAISE**

- Dimension : LXWXH: 850 X 800 X 1200 mm.
- Machine weight : 54 Kgs
- Maximum UserWeight : 180Kgs.



**SR-251**  
**BARBELL RACK**

- DimensionsL x W x H : 1455x 920 x 1050 mm
- Machine Weight : 119Kgs



**SR-566**  
**PLATE RACK**

- Dimension : LXWXH: 558 X 787 X 1270mm.
- Machine Weight : 40 Kgs



**SR-002**  
**GLUTE HAM DEVELOPER**

- Dimension : LXWXH: 1425 X 845 X 1170mm.
- Machine Weight : 75kg.
- Maximum UserWeight: 150kg.

# BENCHES AND RACK





**SR-023**  
**FLAT CHEST PRESS BENCH(LUXURY)**

- Dimension : LXWXH : 1615X1680 X 1350 mm.
- Machine weight : 88 Kgs.



**SR-023 A**  
**WEIGHT BENCH(LUXURY)**

- Dimension : LXWXH : 1700 X 1615X 1350 mm.
- Machine weight : 85 Kgs.



**SR-024**  
**DECLINE BENCH**

- Dimension : LXWXH : 1615X 1815X 1310mm.
- Machine weight : 96 Kgs.



**SR-024A**  
**DECLINE BENCH(LUXURY)**

- Dimension : LXWXH : 1940 X 1615X 1350 mm.
- Machine weight : 93 Kgs.



**SR-025**  
**INCLINE BENCH(LUXURY)**

- Dimension : LXWXH : 1615 X 2000 X 1510mm.
- Machine weight : 94 Kgs.



**SR-025 A**  
**INCLINE BENCH(LUXURY)**

- Dimension : LXWXH : 2320 X 1910 X 1575mm.
- Machine weight : 90 Kgs.



**SR-025C**  
**INCLINE BENCH(LUXURY)**

- Dimension : LXWXH : 2070 X 1615 X 1575mm.
- Machine weight : 90 Kgs.



**SR-026**  
**ROMAN CHAIR**

- Dimension : LXWXH : 1330 X 695 X 820 mm.
- Machine weight : 80 Kgs.



**SR-003**  
**SISSY SQ UAT BENCH**

- Dimension : LXWXH: 1915X650 X 420 mm.
- Machine Weight : 50kg.
- Maximum UserWeight : 150kg.



**SR-004**  
**HACK SQUAT**

- Dimension : LXWXH : 1950 X 1765X 1730 mm.
- Machine weight : 170Kgs.



**SR-020**  
**SMITH MACHINE**

- Dimension : LXWXH: 2460 X 1575X 2390 mm.
- Machine weight : 228 Kgs.



**SR-022**  
**LEG PRESS**

- Dimension : LXWXH : 2375 X 1615X 1470 mm.
- Machine weight : 249 Kgs.



**SR-027**  
**VERTICAL KNEE RAISE**

→ Dimension : LXWXH: 1190X 1370 X 2355 mm.  
→ Machine weight : 122Kgs.



**SR-029**  
**SEATED CALF MACHINE**

→ Dimension : LXWXH: 1260 X 750 X 790 mm.  
→ Machine weight : 155Kgs.



**SR-032**  
**DUMBBELL RACK**

→ Dimension : LXWXH: 2710X 960 X 835 mm.  
→ Machine weight : 72Kgs.



**SR-033**  
**DUMBBELL RACK**

→ Dimension : LXWXH: 2290 X 1020 X 1040 mm.  
→ Machine weight : 75Kgs.



**SR-034**  
**ADJUSTABLE WEB BOARD**

→ Dimension : LXWXH: 1965 X 745 X 945 mm.  
→ Machine weight : 60 Kgs.



**SR-036**  
**FLAT BENCH**

→ Dimension : LXWXH: 1325 X 745 X 460 mm.  
→ Machine weight : 25 Kgs.



**SR-037**  
**MULTI ADJUSTABLE BENCH**

→ Dimension : LXWXH: 1595 X 745 X 1150mm.  
→ Machine weight : 50 Kgs.



**SR-038**  
**UTILITY STOOL**

→ Dimension : LXWXH: 1150 X 645 X 1100mm.  
→ Machine weight : 32 Kgs.



SR-039  
BARBELL RACK

→ Dimension : LXWXH : 1240 X 785 X 1715mm.  
→ Machine weight : 43 Kgs.



SR-040  
PREACHER CURL BENCH

→ Dimension : LXWXH: 1100X810 X940 mm.  
→ Machine weight : 90 Kgs.



SR-041  
WEIGHT PLATE TREE

→ Dimension: LXWXH: 745 X 675 X 940 mm.  
→ Machine weight : 50 Kgs.



**MAZAK**

**731 Brunswick Street  
Fredericton, New Brunswick  
CANADA - E9H**

**Mazak**